Journal of

POLYMER SCIENCE

VOLUME V • 1950

Editorial Board: W. T. ASTBURY · P. M. DOTY · H. MARK

Advisory Board:

P. D. BARTLETT, *Cambridge, Mass.*
C. C. DAVIS, *Lexington, Mass.*
P. DEBYE, *Ithaca, N. Y.*
A. DOBRY, *Paris*
J. DUCLAUX, *Paris*
M. G. EVANS, *Manchester*
E. H. FARMER, *Welwyn Garden City*
P. J. FLORY, *Ithaca, N. Y.*
R. M. FUOSS, *New Haven, Conn.*
K. FREUDENBERG, *Heidelberg*
A. FREY-WYSSLING, *Zürich*
C. S. FULLER, *Summit, N. J.*
MILTON HARRIS, *Washington, D. C.*
P. H. HERMANS, *Utrecht*
R. HOUWINK, *Delft*
M. L. HUGGINS, *Rochester, N. Y.*
W. KUHN, *Basel*
O. KRATKY, *Graz*
M. MATHIEU, *Paris*
H. W. MELVILLE, *Birmingham*
K. H. MEYER, *Geneva*
G. NATTA, *Milan*
C. C. PRICE, *Notre Dame, Ind.*
P. PUTZEYS, *Louvain*
E. K. RIDEAL, *London*
CH. SADRON, *Strasbourg*
G. SMETS, *Louvain*
H. M. SPURLIN, *Wilmington, Del.*
THE SVEDBERG, *Uppsala*
J. C. SWALLOW, *Welwyn Garden City*
G. S. WHITBY, *Akron, Ohio*

INTERSCIENCE PUBLISHERS, INC.

Copyright, 1950, by Interscience Publishers, Inc.

CONTENTS

Vol. V, Nos. 1–6, 1950

Journal of Polymer Science

Number 1, February

Nolle, A. W.: Dynamic Mechanical Properties of Rubberlike Materials 1

Hart, R., et Smets, G.: Vitesse de Polymérisation et de Copolymérisation de l'Acétate d'Isopropényle 55

Sips, R.: Mechanical Behavior of Viscoelastic Substances 69

Moore, W. R.: Nitrocellulose–Solvent Interaction 91

Siegel, B. M., Johnson, D. H., and Mark, H.: Molecular Weight Investigations of High Polymers with the Electron Microscope 111

Billmeyer, F. W., Jr., and Stockmayer, W. H.: Method of Measuring Molecular Weight Distribution 121

Boyer, R. F.: Concentration Dependence of Diffusion of Chloroform in Polystyrene (Letter to the Editors) 139

Crank, J., and Park, G. S.: (Letter to the Editors) 140

Rothman, S., Simha, R., and Weissberg, S. G.: Viscosities of Very Dilute Polymer Solutions (Letter to the Editors) 141

Review 143

Summaries of Articles Received S1

Number 2, April

Schauenstein, E., and Treiber, E.: Ultraviolet Absorption Spectra of Actomyosin. I 145

Bolduan, O. E. A., and Bear, R. S.: Unidirectional Nature of the Large Periodic Structure of Collagen Fibrils 159

Smith, E. F., and Wangsgard, A. P.: Photoelastic Strain Analyzer 169

Jirgensons, B.: Denaturation of Plant Proteins. III. Optical Rotation, Viscosity, and Reducing Capacity of Denatured Proteins 179

Carr, C. W., Kolthoff, I. M., Meehan, E. J., and Stenberg, R. J.: Studies on the Rate of the Emulsion Polymerization of Butadiene-Styrene (75:25) as a Function of the Amount and Kind of Emulsifier Used. I. Polymerizations with Commercial and Pure Soaps 191

Carr, C. W., Kolthoff, I. M., Meehan, E. J., and Williams, D. E.: Studies on the Rate of the Emulsion Polymerization of Butadiene-Styrene (75:25) as a Function of the Amount and Kind of Emulsifier Used. II. Polymerizations with Fatty Acid Soaps, Rosin Soaps, and Various Synthetic Emulsifiers 201

HERZFELD, S. H., ROGINSKY, A., CORRIN, M. L., and HARKINS, W. D.: Monomer–Polymer Ratio in Emulsion Polymerization of Styrene 207
HARKINS, W. D.: General Theory of Mechanism of Emulsion Polymerization. II 217
DE WILDE, M. C., et SMETS, G.: Copolymérisation de l'Anhydride Maléique avec Différents Monomères Vinyliques 253
FINEMAN, M., and ROSS, S. D.: Linear Method for Determining Monomer Reactivity Ratios in Copolymerization (Letter to the Editors) 259
POWERS, P. O.: "Bound" Water in Phenol-Formaldehyde Condensates (Letter to the Editors) 262
JELLINEK, H. H. G.: Degradation of High Polymers (Letter to the Editors) 264
REVIEW 266
FINKELSTEIN, P., and MCLAREN, A. D.: Photochemistry of Proteins. VI. *p*H Dependence of Quantum Yield and Ultraviolet Absorption Spectrum of Chymotrypsin. (Errata, article in *J. Polymer Sci.*, **4**, 573–582, 1949) 267
FLORY, P. J., and LEUTNER, F. S.: Occurrence of Head-to-Head Arrangements of Structural Units in Polyvinyl Alcohol. (Errata, article in *J. Polymer Sci.*, **3**, 880 1948) 267
SUMMARIES OF ARTICLES RECEIVED S17

NUMBER 3, JUNE

HERMANS, P. H., and WEIDINGER, A.: Quantitative Investigation of X-Ray Diffraction by "Amorphous" Polymers and Some Other Noncrystalline Substances 269
KATCHALSKY, A., KÜNZLE, O., and KUHN, W.: Behavior of Polyvalent Polymeric Ions in Solution 283
KOLTHOFF, I. M., and DALE, W. J.: Potassium Ferricyanide–Diazothio Ether–Mercaptan Recipe for Emulsion Polymerization of Butadiene and Styrene. II. Effect of Some Chemical Variables 301
VAN AMERONGEN, G. J.: Influence of Structure of Elastomers on Their Permeability to Gases 307
MÜNSTER, A.: Die Löslichkeit hochpolymerer Fadenmoleküle 333
CONN, W. R., and NEHER, H. T.: Inhibiting Effect of Acrylonitrile on Polymerization of Vinyl Acetate 355
FOSTER, F. C.: Friedel-Crafts Copolymerization of Chloroprene–Styrene 369
SHEPPARD, E., MCLAREN, A. D., and JOHNSON, P.: Ultracentrifuge Studies on the Crystalline Compound of Trypsin and of Soybean Trypsin Inhibitor (Letter to the Editors) 375
BOYER, R. F., and SPENCER, R. S.: Critical Concentration Effects in Dilute High Polymer Solutions (Letter to the Editors) 375
ATHERTON, E.: Pyrolysis of Polystyrene (Letter to the Editors) 378

McLaren, A. D., and Lewis, C.: Concerning the Inactivation-Denaturation of Pepsin (Letter to the Editors) 379
Doty, P. M., and Steiner, R. F.: Note on the Distribution of Polymer Molecules in Dilute Solution (Letter to the Editors) 383
Reviews 387
Polymer News 390
Summaries of Articles Received S21

Number 4, August

Kolthoff, I. M., and Medalia, A. I.: Redox Recipes. II. Redox Recipes in Alkaline Medium Initiated by the System Cumene Hydroperoxide–Iron–Sugar at 30° 391
Maschka, A., und Mendl, A.: Untersuchung einer katalysierten Leinölstandölkochung unter Heranziehung der Ultraviolettspektrographie (Vergleich mit nichtkatalysierten Prozessen) 429
Campbell, H., and Johnson, P.: Aging of Solutions of Cellulose Nitrate 443
Brown, C. J.: Some Polymeric Derivatives of Phosphonitrile Chloride 465
Peterlin, A.: Viscosity and Sedimentation of Linear Macromolecules Exhibiting Partial Solvent Immobilization 473
Wiley, R. H., and Hobson, P. H.: Polymerization of *m*- and *p*-Formylstyrenes 483
Bovey, F. A., and Kolthoff, I. M.: Mechanism of Emulsion Polymerizations. IV. Kinetics of Polymerization of Styrene in Water and Detergent Solutions 487
Krigbaum, W. R., and Wall, F. T.: Viscosities of Binary Polymeric Mixtures 505
Simha, R.: Degradation of High Polymers (Letter to the Editors) .. 515
Haas, H. C.: Catalysis of the Dechlorination by Zinc (Letter to the Editors) 515
Reviews 517
Hermans, P. H., and Weidinger, A.: Quantitative Investigation of X-Ray Diffraction by "Amorphous" Polymers and Some Other Noncrystalline Substances. (Errata, Article in *J. Polymer Sci.* 5, 269, 1950) 518

Number 5, October

Kuhn, H., and Kuhn, W.: Effects of Hampered Draining of Solvent on the Translatory and Rotatory Motion of Statistically Coiled Long-Chain Molecules in Solution. Part I. Translation Resistance; Rate of Diffusion and Sedimentation 519
Stuart, H. A., und Peterlin, A.: Optische Anisotropie und Form von Fadenmolekülen. I. Depolarisationsgrad der Lichtzerstreuung von Lösungen mit Fadenmolekülen 543
Stuart, H. A., und Peterlin, A.: Optische Anisotropie und Form von Fadenmolekülen. II. Künstliche Doppelbrechung 551
Hermans, P. H., and Weidinger, A.: Crystallinity of Precipitated Cellulose 565

BOVEY, F. A., and KOLTHOFF, I. M.: Studies of Retarders and Inhibitors in the Emulsion Polymerization of Styrene. II. Inhibitors ... 569
MERZ, E. H., and RAETZ, R. W.: Influence of Molecular Weight on the Properties of Polystyrene. II. Fractionation of the Polymer ... 587
SPENCER, R. S.: Flow of Linear Amorphous Polymers ... 591
WILEY, R. H., BRAUER, G. M., and BENNETT, A. R.: Refractometric Determination of Second-Order Transition Temperatures in Polymers. V. Determination of the Refractive Indices of Elastomers at Temperatures from 25 to −120°C. ... 609
SIMHA, R., WALL, L. A., and BLATZ, P. J.: Depolymerization as a Chain Reaction ... 615
RISEMAN, J., and EIRICH, F. R.: Intrinsic Viscosity of Macromolecules (Letter to the Editors) ... 633
HAWARD, R. N.: Degradation of Ethyl Cellulose in Solution (Letter to the Editors) ... 635
REVIEWS ... 636
SUMMARIES OF ARTICLES RECEIVED ... S27

NUMBER 6, DECEMBER

VAN AMERONGEN, G. J., KONINGSBERGER, C., and SALOMON, G.: Chlorination of Natural Rubber. I. Preparation and Properties of Chlorinated Rubber ... 639
VAN AMERONGEN, G. J., and KONINGSBERGER, C.: Chlorination of Natural Rubber. II. Preparation and Properties of Rubber Dichloride ... 653
KOLTHOFF, I. M., DALE, W. J., and MILLER, I. K.: Potassium Ferricyanide–Diazothio Ether–Mercaptan Recipe for Emulsion Polymerization of Butadiene and Styrene. III. Determination of *p*-Methoxyphenyl Diazothio-(2-naphthyl)-ether ... 667
O'HARA, J. B., and PRUTTON, C. F.: Heterogeneous System for Polymerization of Vinyl Chloride ... 673
GOLDSTEIN, GILBERT, and STERN, KURT G.: Experiments on the Sonic, Thermal, and Enzymic Depolymerization of Desoxyribosenucleic Acid ... 687
CRAIG, DAVID, JUVE, A. E., and DAVIDSON, W. L.: Tetramethylthiuram Disulfide Vulcanization of Extracted Rubber. I. Introduction and Compounding ... 709
ALFREY, TURNER, JR., BOHRER, JOHN, HAAS, HOWARD, and LEWIS, CHARLES: Experimental Study of Copolymerization. IV ... 719
HERRENT, P., and JNOFF, G.: Titration Potentiométrique de la Viscose. III ... 727
PALS, D. T. F., and HERMANS, J. J.: New Method for Deriving the Intrinsic Viscosity of Polyelectrolytes (Letter to the Editors) ... 733
HERMANS, P. H., and VERMAAS, D.: Note on Density Determination of Cellulose Fibers by the Flotation Method in Carbon Tetrachloride (Letter to the Editors) ... 734

BASU, SADHAN: Molecular Weight of Nylon by End-Group Titration (Letter to the Editors) 735
ARNETT, L. M., MEIBOHM, F. P. H., and SMITH, A. F.: New Observations on the Small-Angle X-Ray Diffraction of Synthetic Fibers (Letter to the Editors) 737
WALES, M.: Transport of Uncharged Polymer Molecules by an Inhomogeneous Electric Field (Letter to the Editors) 739
POWERS, P. O.: Mechanism of the Heat Bodying of Linseed Oil (Letter to the Editors) 741
GAYLORD, N. G., and EIRICH, F. R.: Peroxide-Catalyzed Polymerization of Isopropenyl Acetate (Letter to the Editors) 743
FLORY, PAUL J., and FOX, THOMAS G, JR.: Molecular Configuration and Thermodynamic Parameters from Intrinsic Viscosities (Letter to the Editors) 745
REVIEW 748
BOVEY, F. A., and KOLTHOFF, I. M.: Mechanism of Emulsion Polymerizations. IV. Kinetics of Polymerization of Styrene in Water and Detergent Solutions (Errata, article in *J. Polymer Sci.*, **5**, S22–3, 487–504, 1950) 748
AUTHOR INDEX 749
SUBJECT INDEX 753

AUTHOR INDEX

Alfrey, T., Jr.: Review. The physics of rubber elasticity, 387

——, Bohrer, J., Haas, H., and Lewis, C.: Experimental study of copolymerization. IV, 719

Amerongen, G. J. van: Influence of structure of elastomers on their permeability to gases, 307

——, and Koningsberger, C.: Chlorination of natural rubber. II. Preparation and properties of rubber dichloride, 453

——, ——, and Salomon, G.: Chlorination of natural rubber. I. Preparation and properties of chlorinated rubber, 639

Arnett, L. M., Meibohm, E. P. H., and Smith, A. F.: Letter to the Editors. New observations on the small-angle x-ray diffraction of synthetic fibers, 737

Atherton, E.: Letter to the Editors. Pyrolysis of polystyrene, 378

Basu, S.: Letter to the Editors. Molecular weight of nylon by end-group titration, 735

Bear, R. S.: see Bolduan, O. E. A.

Beau, D. S. le: Review. The colloid chemistry of the silicate minerals, 143

Bennett, A. R.: see Wiley, R. H.

Billmeyer, F. W., Jr., and Stockmayer, W. H.: Method of measuring molecular weight distribution, 121

Blatz, P. J.: see Simha, R.

Bohrer, J.: see Alfrey, T., Jr.

Bolduan, O. E. A., and Bear, R. S.: Unidirectional nature of the large periodic structure of collagen fibrils, 159

Bovey, F. A., and Kolthoff, I. M.: Mechanism of emulsion polymerizations. IV. Kinetics of polymerization of styrene in water and detergent solutions, 487; *errata*, 748

——, and ——: Studies of retarders and inhibitors in the emulsion polymerization of styrene. II. Inhibitors, 569

Boyer, R. F., and Spencer, R. S.: Letter to the Editors. Critical concentration effects in dilute high polymer solutions, 375

——: Letter to the Editors. Concentration dependence of diffusion of chloroform in polystyrene, 139

——: see Bradford, E. B.

Bradford, E. B., and Boyer, R. F.: Review. Electron microscopy—Technique and applications, 637

Brauer, G. M.: see Wiley, R. H.

Brown, C. J.: Some polymeric derivatives of phosphonitrile chloride, 465

Campbell, H., and Johnson, P.: Aging of solutions of cellulose nitrate, 443

Carr, C. W., Kolthoff, I. M., Meehan, E. J., and Stenberg, R. J.: Studies on the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount and kind of emulsifier used. I. Polymerizations with commercial and pure soaps, 191

——, ——, ——, and Williams, D. E.: Studies on the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount and kind of emulsifier used. II. Polymerizations with fatty acid soaps, rosin soaps, and various synthetic emulsifiers, 201

Cohen, S. G.: Review. Encyclopedia of chemical technology, Vol. 3, 518

Conn, W. R., and Neher, H. T.: Inhibiting effect of acrylonitrile on polymerization of vinyl acetate, 355

Corrin, M. L.: see Herzfeld, S. H.

Craig, D., Juve, A. E., and Davidson, W. L.: Tetramethylthiuram disulfide vulcanization of extracted rubber. I. Introduction and compounding, 709

Crank, J., and Park, G. S.: Letter to the Editors, 140

Dale, W. J.: see Kolthoff, I. M.

Davidson, W. L.: see Craig, D.

Dole, M.: Review. The adsorption of gases on solids, 266

Doty, P. M., and Steiner, R. F.: Letter to the Editors. Note on the distribution of polymer molecules in dilute solution, 383

——: Review. High-polymer physics—A symposium, 387

Eirich, F. R.: see Gaylord, N. G.

——: see Riseman, J.

Fineman, M., and Ross, S. D.: Letter to the Editors. Linear method for determining monomer reactivity ratios in copolymerization, 259

Finkelstein, P., and McLaren, A. D.: Photochemistry of proteins. VI. *p*H dependence of quantum yield and ultraviolet absorption spectrum of chymotrypsin; *errata*, 267

Flory, P. J., and Fox, T. G., Jr.: Letter to the Editors. Molecular configuration and thermodynamic parameters from intrinsic viscosities, 745

——, and Leutner, F. S.: Occurrence of head-to-head arrangements of structural units in polyvinyl alcohol; *errata*, 267

Foster, F. C.: Friedel-Crafts copolymerization of chloroprene–styrene, 369

Fox, T. G., Jr.: see Flory, P. J.

Fuller, C. S.: Review. Fundamentals of synthetic polymer technology, 388

Gaylord, N. G., and Eirich, F. R.: Letter to the Editors. Peroxide-catalyzed polymerization of isopropenyl acetate, 743

Goldfinger, G.: Review. Les dérivés chimiques du caoutchouc naturel, 638
Goldstein, G., and Stern, K. G.: Experiments on the sonic, thermal, and enzymic depolymerization of desoxyribosenucleic acid, 687
Haas, H. C.: Letter to the Editors. Catalysis of the dechlorination by zinc, 515
——: see Alfrey, T., Jr.
Harkins, W. D.: General theory of mechanism of emulsion polymerization. II, 217
——: see Herzfeld, S. H.
Hart, R., et Smets, G.: Vitesse de polymérisation et de copolymérisation de l'acétate d'isopropényle, 55
Haward, R. N.: Letter to the Editors. Degradation of ethyl cellulose in solution, 635
Hermans, J. J.: see Pals, D. T. F.
Hermans, P. H., and Vermaas, D.: Letter to the Editors. Note on density determination of cellulose fibers by the flotation method in carbon tetrachloride, 734
——, and Weidinger, A.: Crystallinity of precipitated cellulose, 565
——, and ——: Quantitative investigation of x-ray diffraction by "amorphous" polymers and some other noncrystalline substances, 269; *errata*, 518
Herrent, P., and Jnoff, G.: Titration Potentiométrique de la viscose. III, 727
Herzfeld, S. H., Roginsky, A., Corrin, M. L., and Harkins, W. D.: Monomer-polymer ratio in emulsion polymerization of styrene, 207
Hobson, P. H.: see Wiley, R. H.
Huggins, M. L.: Review. Elastomers and plastomers—their chemistry, physics, and technology. Vol. I, 636
Jellinek, H. H. G.: Letter to the Editors. Degradation of high polymers, 264
Jirgensons, B.: Denaturation of plant proteins. III. Optical rotation, viscosity, and reducing capacity of denatured proteins, 179
Jnoff, G.: see Herrent, P.
Johnson, D. H.: see Siegel, B. M.
Johnson, P.: see Campbell, H.
——: see Sheppard, E.
Juve, A. E.: see Craig, D.
Katchalsky, A., Künzle, O., and Kuhn, W.: Behavior of polyvalent polymeric ions in solution, 283
Kolthoff, I. M., and Dale, W. J.: Potassium ferricyanide–diazothio ether–mercaptan recipe for emulsion polymerization of butadiene and styrene. II. Effect of some chemical variables, 301
——, ——, and Miller, I. K.: Potassium ferricyanide–diazothio ether–mercaptan recipe for emulsion polymerization of butadiene and styrene. III. Determination of *p*-methoxyphenyl diazothio-(2-naphthyl)-ether, 667
——, and Medalia, A. I.: Redox recipes. II. Redox recipes in alkaline medium initiated by the system cumene hydroperoxide–iron–sugar at 30°, 391
——: see Bovey, F. A.
——: see Carr, C. W.
Koningsberger, C.: see Amerongen, G. J. van
Krigbaum, W. R., and Wall, F. T.: Viscosities of binary polymeric mixtures, 505
Kuhn, H., and Kuhn, W.: Effects of hampered draining of solvent on the translatory and rotatory motion of statistically coiled long-chain molecules in solution. Part I. Translation resistance; rate of diffusion and sedimentation, 519
Kuhn, W.: see Katchalsky, A.
——: see Kuhn, H.
Künzle, O.: see Katchalsky, A.
Leutner, F. S.: see Flory, P. J.
Lewis, C.: see Alfrey, T., Jr.
——: see McLaren, A. D.
McLaren, A. D., and Lewis, C.: Letter to the Editors. Concerning the inactivation-denaturation of pepsin, 379
——: see Finkelstein, P.
——: see Sheppard, E.
Mark, H.: see Siegel, B. M.
Maschka, A., und Mendl, A.: Untersuchung einer katalysierten Leinölstandölkochung unter Heranziehung der Ultraviolettspektrographie (Vergleich mit nichtkalysierten Prozessen), 429
Medalia, A. I.: see Kolthoff, I. M.
Meehan, E. J.: see Carr, C. W.
Meibohm, E. P. H.: see Arnett, L. M.
Mendl, A.: see Maschka, A.
Merz, E. H., and Raetz, R. W.: Influence of molecular weight on the properties of polystyrene. II. Fractionation of the polymer, 587
Miller, I. K.: see Kolthoff, I. M.
Moore, W. R.: Nitrocellulose–solvent interaction, 91
Münster, A.: Die Löslichkeit hochpolymerer Fadenmoleküle, 333
Neher, H. T.: see Conn, W. R.
Nolle, A. W.: Dynamic mechanical properties of rubberlike materials, 1
O'Hara, J. B., and Prutton, C. F.: Heterogeneous system for polymerization of vinyl chloride, 673
Pals, D. T. F., and Hermans, J. J.: Letter to the Editors. New method for deriving the intrinsic viscosity of polyelectrolytes, 733
Park, G. S.: see Crank, J.
Peterlin, A.: Viscosity and sedimentation of linear macromolecules exhibiting partial solvent immobilization, 473
——: see Stuart, H. A.
Powers, P. O.: Letter to the Editors. "Bound" water in phenol-formaldehyde condensates, 262
——: Letter to the Editors. Mechanism of the heat bodying of linseed oil, 741
Prutton, C. F.: see O'Hara, J. B.
Raetz, R. W.: see Merz, E. H.
Riseman, J., and Eirich, F. R.: Letter to the Editors. Intrinsic viscosity of macromolecules, 633

Roginsky, A.: see Herzfeld, S. H.
Ross, S. D.: see Fineman, M.
Rothman, S., Simha, R., and Weissberg, S. G.: Letter to the Editors. Viscosities of very dilute polymer solutions, 141
Salomon, G.: see Amerongen, G. J. van
Schauenstein, E., and Treiber, E.: Ultraviolet absorption spectra of actomyosin. I, 145
Schwert, G. W.: Review. Outlines of biochemistry, 637
Sheppard, E., McLaren, A. D., and Johnson, P.: Letter to the Editors. Ultracentrifuge studies on the crystalline compound of trypsin and soybean trypsin, 375
Siegel, B. M., Johnson, D. H., and Mark, H.: Molecular weight investigations of high polymers with the electron microscope, 111
Simha, R.: Letter to the Editors. Degradation of high polymers, 515
——, Wall, L. A., and Blatz, P. J.: Depolymerization as a chain reaction, 615
——: see Rothman, S.
Sips, R.: Mechanical behavior of viscoelastic substances, 69
Smets, G.: see Hart, R.
——: see Wilde, M. C. de
Smith, A. F.: see Arnett, L. M.
Smith, E. F., and Wangsgard, A. P.: Photoelastic strain analyzer, 169
Spencer, R. S.: Flow of linear amorphous polymers, 591
——: Review. Industrial rheology and rheological structures, 389
——: see Boyer, R. F.
Steiner, R. F.: see Doty, P. M.
Stenberg, R. J.: see Carr, C. W.
Stern, K. G.: see Goldstein, G.
Stockmayer, W. H.: see Billmeyer, F. W., Jr.
Stuart, H. A., und Peterlin, A.: Optische Anisotropie und Form von Fadenmolekülen. I. Depolarisationsgrad der Lichtzerstreuung von Lösungen mit Fadenmolekülen, 543
——, and ——: Optische Anisotropie und Form von Fadenmolekülen. II. Künstliche Doppelbrechung, 551
Treiber, E.: see Schauenstein, E.
Vermaas, D.: see Hermans, P. H.
Wales, M.: Letter to the Editors. Transport of uncharged polymer molecules by an inhomogeneous electric field, 739
Wall, F. T.: see Krigbaum, W. R.
Wall, L. A.: see Simha, R.
Wangsgard, A. P.: see Smith, E. F.
Weidinger, A.: see Hermans, P. H.
Weissberg, S. G.: see Rothman, S.
Wilde, M. C. de, et Smets, G.: Copolymérisation de l'anhydride maléique avec différents monomères vinyliques, 253
Wiley, R. H., Brauer, G. M., and Bennett, A. R.: Refractometric determination of second-order transition temperatures in polymers. V. Determination of the refractive indices of elastomers at temperatures from 25 to −120°C., 609
——, and Hobson, P. H.: Polymerization of *m*- and *p*-formylstyrenes, 483
Williams, D. E.: see Carr, C. W.
Wood, L. A. Review. Proceedings of the second rubber technology conference, 1948, 517
Zeiss, H. H.: Review. The Terpenes, Vol. II. The dicyclic terpenes and their derivatives, 748

SUBJECT INDEX

Analytical Techniques, Chemical

Catalysis of the dichlorination by zinc. *Letter to the Editors*, H. C. Haas, 515

Potassium ferricyanide–diazothio ether–mercaptan recipe for emulsion polymerization of butadiene and styrene. III. Determination of *p*-methoxyphenyl diazothio-(2-naphthyl)-ether, I. M. Kolthoff, W. J. Dale, and I. K. Miller, 667

Analytical Techniques, Physical

Molecular weight investigations of high polymers with the electron microscope, B. M. Siegel, D. H. Johnson, and H. Mark, 111

Photoelastic strain analyzer, E. F. Smith and A. P. Wangsgard, 169

Untersuchung einer katalysierten Leinölstandölkochung unter Heranziehung der Ultraviolettspektrographie (Vergleich mit nichtkatalysierten Prozessen), A. Maschka und A. Mendl, 429

Viscosities of very dilute polymer solutions. *Letter to the Editors*, S. Rothman, R. Simha, and S. G. Weissberg, 141

Cellulose and Cellulose Derivatives

Aging of solutions of cellulose nitrate, H. Campbell and P. Johnson, 443

Crystallinity of precipitated cellulose, P. H. Hermans and A. Weidinger, 565

Degradation of ethyl cellulose in solution. *Letter to the Editors*, R. N. Haward, 635

Nitrocellulose–solvent interaction, W. R. Moore, 91

Note on the density determination of cellulose fibers by the flotation method in carbon tetrachloride. *Letter to the Editors*, P. H. Hermans and D. Vermaas, 734

Titration potentiométrique de la viscose. III, P. Herrent and G. Jnoff, 727

Chemical Reactions of Polymers

Catalysis of the dechlorination by zinc. *Letter to the Editors*, H. C. Haas, 515

Chlorination of natural rubber. I. Preparation and properties of chlorinated rubber, G. J. van Amerongen, C. Koningsberger, and G. Salomon, 639

Chlorination of natural rubber. II. Preparation and properties of rubber dichloride, G. J. van Amerongen and C. Koningsberger, 653

Tetramethylthiuram disulfide vulcanization of extracted rubber. I. Introduction and compounding, D. Craig, A. E. Juve, and W. L. Davidson, 709

Copolymerization

Copolymerisation de l'anhydride maléique avec différents monomères vinyliques, M. C. de Wilde et G. Smets, 253

Experimental study of copolymerization. IV, T. Alfrey, Jr., J. Bohrer, H. Haas, and C. Lewis, 719

Friedel-Crafts copolymerization of chloroprene–styrene, F. C. Foster, 369

Linear method for determining monomer reactivity ratios in copolymerization. *Letter to the Editors*, M. Fineman and S. D. Ross, 259

Monomer–polymer ratio in emulsion polymerization of styrene, S. H. Herzfeld, A. Roginsky, M. L. Corrin, and W. D. Harkins, 207

Potassium ferricyanide–diazothio ether–mercaptan recipe for emulsion polymerization of butadiene and styrene. II. Effect of some chemical variables, I. M. Kolthoff and W. J. Dale, 301

Studies on the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount and kind of emulsifier used. I. Polymerizations with commercial and pure soaps, C. W. Carr, I. M. Kolthoff, E. J. Meehan, and R. J. Stenberg, 191

Studies on the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount and kind of emulsifier used. II. Polymerizations with fatty acid soaps,

rosin soaps, and various synthetic emulsifiers, C. W. Carr, I. M. Kolthoff, E. J. Meehan, and D. E. Williams, 201

Vitesse de polymérisation et de copolymérisation de l'acétate d'isopropényle, R. Hart et G. Smets, 55

Degradation

Degradation of ethyl cellulose in solution. *Letter to the Editors*, R. N. Haward, 635

Degradation of high polymers. *Letter to the Editors*, H. H. G. Jellinek, 264

Degradation of high polymers. *Letter to the Editors*, R. Simha, 515

Depolymerization as a chain reaction, R. Simha, L. A. Wall, and P. J. Blatz, 615

Pyrolysis of polystyrene. *Letter to the Editors*, E. Atherton, 378

Fibers

New observations on the small-angle x-ray diffraction of synthetic fibers. *Letter to the Editors*, L. M. Arnett, E. P. H. Meibohm, and A. F. Smith, 737

Unidirectional nature of the large periodic structure of collagen fibrils, O. E. A. Bolduan and R. S. Bear, 159

Mechanical Properties and the Solid State

Dynamic mechanical properties of rubberlike materials, A. W. Nolle, 1

Flow of linear amorphous polymers, R. S. Spencer, 591

Influence of molecular weight on the properties of polystyrene. II. Fractionation of the polymer, E. H. Merz and R. W. Raetz, 587

Mechanical behavior of viscoelastic substances, R. Sips, 69

Photoelastic strain analyzer, E. F. Smith and A. P. Wangsgard, 169

Molecular Structure and Shape

"Bound" water in phenol-formaldehyde condensates. *Letter to the Editors*, P. O. Powers, 262

Concentration dependence of diffusion of chloroform in polystyrene. *Letter to the Editors*, R. F. Boyer, 139

Critical concentration effects in dilute high polymer solutions. *Letter to the Editors*, R. F. Boyer and R. S. Spencer, 375

Effects of hampered draining of solvent on the translatory and rotatory motion of statistically coiled long-chain molecules in solution. Part I. Translation resistance; rate of diffusion and sedimentation, H. Kuhn and W. Kuhn, 519

Experiments on the sonic, thermal, and enzymic depolymerization of desoxyribosenucleic acid, G. Goldstein and K. G. Stern, 687

Influence of structure of elastomers on their permeability to gases, G. J. van Amerongen, 307

Letter to the Editors, J. Crank and G. S. Park, 140

Molecular configuration and thermodynamic parameters from intrinsic viscosities. *Letter to the Editors*, P. J. Flory and T. G. Fox, Jr., 743

Molecular weight investigations of high polymers with the electron microscope, B. M. Siegel, D. H. Johnson, and H. Mark, 111

Note on the distribution of polymer molecules in dilute solution, *Letter to the Editors*, P. M. Doty and R. F. Steiner, 383

Occurrence of head-to-head arrangements of structural units in polyvinyl alcohol, P. J. Flory and F. S. Leutner (*Errata*, article in *J. Polymer Sci.*, **3**, 880, 1948), 267

Optische Anisotropie und Form von Fadenmolekülen. I. Depolarisationsgrad der Lichtzerstreuung von Lösungen mit Fadenmolekülen, H. A. Stuart und A. Peterlin, 543

Optische Anisotropie und Form von Fadenmolekülen. II. Künstliche Doppelbrechung, H. A. Stuart und A. Peterlin, 551

Viscosity and sedimentation of linear macromolecules exhibiting partial solvent immobilization, A. Peterlin, 473

Molecular Weight and Molecular Weight Distribution

Influence of molecular weight on the properties of polystyrene. II. Fractionation of the polymer, E. H. Merz and R. W. Raetz, 587

Method of measuring molecular weight distribution, F. W. Billmeyer, Jr., and W. H. Stockmayer, 121

Molecular weight investigations of high polymers with the electron microscope, B. M. Siegel, D. H. Johnson, and H. Mark, 111

Molecular weight of nylon by end-group titration. *Letter to the Editors*, S. Basu, 735

Physical Properties

Concentration dependence of diffusion of chloroform in polystyrene. *Letter to the Editors*, R. F. Boyer, 139

Dynamic mechanical properties of rubberlike materials, A. W. Nolle, 1

Effects of hampered draining of solvent on the translatory and rotatory motion of statistically coiled long-chain molecules in solution. Part I. Translation resistance; rate of diffusion and sedimentation, H. Kuhn and W. Kuhn, 519

Influence of structure of elastomers on their permeability to gases, G. J. van Amerongen, 307

Letter to the Editors, J. Crank and G. S. Park, 140

Mechanical behavior of viscoelastic substances, R. Sips, 69

Mechanism of the heat bodying of linseed oil. *Letter to the Editors*, P. O. Powers, 741

Nitrocellulose–solvent interaction, W. R. Moore, 91

Note on the density determination of cellulose fibers by the flotation method in carbon tetrachloride. *Letter to the Editors*, P. H. Hermans and D. Vermaas, 734

Optische Anisotropie und Form von Fadenmolekülen. I. Depolarisationsgrad der Lichtzerstreuung von Lösungen mit Fadenmolekülen, H. A. Stuart und A. Peterlin, 543

Optische Anisotropie und Form von Fadenmolekülen. II. Künstliche Doppelbrechung, H. A. Stuart und A. Peterlin, 551

Quantitative investigation of x-ray diffraction by "amorphous" polymers and some other noncrystalline substances, P. H. Hermans and A. Weidinger, 269

Refractometric determination of second-order transition temperatures in polymers. V. Determination of the refractive indices of elastomers at temperatures from 25 to −120°C., R. H. Wiley, G. M. Brauer, and A. R. Bennett, 609

Ultraviolet absorption spectra of actomyosin. I, E. Schauenstein and E. Treiber, 145

Unidirectional nature of the large periodic structure of collagen fibrils, O. E. A. Bolduan and R. S. Bear, 159

Viscosity and sedimentation of linear macromolecules exhibiting partial solvent immobilization, A. Peterlin, 473

Polyelectrolytes

Behavior of polyvalent polymeric ions in solution, A. Katchalsky, O. Künzle, and W. Kuhn, 283

Experiments on the sonic, thermal, and enzymic depolymerization of desoxyribosenucleic acid, G. Goldstein and K. G. Stern, 687

New method for deriving the intrinsic viscosity of polyelectrolytes. *Letter to the Editors*, D. T. F. Pals and J. J. Hermans, 733

Titration potentiométrique de la viscose. III, P. Herrent and G. Jnoff, 727

Polymerization, Addition

General theory of mechanism of emulsion polymerization. II, W. D. Harkins, 217

Heterogeneous system for polymerization of vinyl chloride, J. B. O'Hara and C. F. Prutton, 673

Monomer–polymer ratio in emulsion polymerization of styrene, S. H. Herzfeld, A. Roginsky, M. L. Corrin, and W. D. Harkins, 207

Polymerization of *m*- and *p*-formylstyrenes, R. H. Wiley and P. H. Hobson, 483

Potassium ferricyanide–diazothio ether–mercaptan recipe for emulsion polymerization of butadiene and styrene. II. Effect of some chemical variables, I. M. Kolthoff and W. J. Dale, 301

Studies on the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount

and kind of emulsifier used. I. Polymerizations with commercial and pure soaps, C. W. Carr, I. M. Kolthoff, E. J. Meehan, and R. J. Stenberg, 191

Studies of the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount and kind of emulsifier used. II. Polymerizations with fatty acid soaps, rosin soaps, and various synthetic emulsifiers, C. W. Carr, I. M. Kolthoff, E. J. Meehan, and D. E. Williams, 201

Untersuchung einer katalysierten Leinölstandölkochung unter Heranziehung der Ultraviolettspektrographie (Vergleich mit nichtkatalysierten Prozessen), A. Maschka und A. Mendl, 429

Polymerization, Catalysts and Mechanisms

Copolymérisation de l'anhydride maléique avec différents monomères vinyliques, M. C. de Wilde et G. Smets, 253

General theory of mechanism of emulsion polymerization. II, W. D. Harkins, 217

Inhibiting effect of acrylonitrile on polymerization of vinyl acetate, W. R. Conn and H. T. Neher, 355

Mechanism of emulsion polymerizations. IV. Kinetics of polymerization of styrene in water and detergent solutions, F. A. Bovey and I. M. Kolthoff, 487; *errata*, 748

Peroxide-catalyzed polymerization of isopropenyl acetate. *Letter to the Editors*, N. G. Gaylord and F. R. Eirich, 743

Redox recipes. II. Redox recipes in alkaline medium initiated by the system cumene hydroperoxide–iron–sugar at 30°, I. M. Kolthoff and A. I. Medalia, 391

Studies on retarders and inhibitors in the emulsion polymerization of styrene. II. Inhibitors, F. A. Bovey and I. M. Kolthoff, 569

Studies on the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount and kind of emulsifier used. I. Polymerizations with commercial and pure soaps, C. W. Carr, I. M. Kolthoff, E. J. Meehan, and R. J. Stenberg, 191

Studies on the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount and kind of emulsifier used. II. Polymerizations with fatty acid soaps, rosin soaps, and various synthetic emulsifiers, C. W. Carr, I. M. Kolthoff, E. J. Meehan, and D. E. Williams, 201

Vitesse de polymérisation et de copolymérisation de l'acétate d'isopropényle, R. Hart et G. Smets, 55

Polymerization, Condensation

Some polymeric derivatives of phosphonitrile chloride, C. J. Brown, 465

Polymer News

Seventh Annual Series of Summer Laboratory Courses, Institute of Polymer Research, Polytechnic Institute of Brooklyn, 390

Symposium on Polymer Chemistry as Applied to Plastics, Society of Chemical Industry, Plastics and Polymer Group, Beveridge Hall, the University, London, 390

Proteins

Concerning the inactivation-denaturation of pepsin. *Letter to the Editors*, A. D. McLaren and C. Lewis, 379

Denaturation of plant proteins. III. Optical rotation, viscosity, and reducing capacity of denatured proteins, B. Jirgensons, 179

Photochemistry of proteins. VI. *p*H dependence of quantum yield and ultraviolet absorption spectrum of chymotrypsin, P. Finkelstein and A. D. McLaren (*Errata*, article in *J. Polymer Sci.*, **4**, 573–582, 1949), 267

Ultracentrifuge studies on the crystalline compound of trypsin and soybean trypsin inhibitor. *Letter to the Editors*, E. Sheppard, A. D. McLaren, and P. Johnson, 375

Ultraviolet absorption spectra of actomyosin. I, E. Schauenstein and E. Treiber, 145

Unidirectional nature of the large periodic structure of collagen fibrils, O. E. A. Bolduan and R. S. Bear, 159

Reviews

Elastomers and plastomers—Their chemistry, physics, and technology, Vol. I, M. L. Huggins, 636
Electron microscopy—Technique and applications, E. B. Bradford and R. F. Boyer, 637
Encyclopedia of chemical technology, Vol. 3, S. G. Cohen, 518
Fundamentals of synthetic polymer technology, C. S. Fuller, 388
High-polymer physics—A symposium, P. M. Doty, 387
Les dérivés chimiques du caoutchouc naturel, G. Goldfinger, 638
Industrial rheology and rheological structures, R. S. Spencer, 389
Outlines of biochemistry, G. W. Schwert, 637
Proceedings of the second rubber technology conference, 1948, L. A. Wood, 517
The adsorption of gases on solids, M. Dole, 266
The colloid chemistry of the silicate minerals, D. S. le Beau, 143
The physics of rubber elasticity, T. Alfrey, Jr., 387
The Terpenes. Vol. II. The dicyclic terpenes and their derivatives, J. L. Simonsen, 748

Rubbers

Dynamic mechanical properties of rubberlike materials, A. W. Nolle, 1
Mechanical behavior of viscoelastic substances, R. Sips, 69
Studies on the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount and kind of emulsifier used. I. Polymerizations with commercial and pure soaps, C. W. Carr, I. M. Kolthoff, E. J. Meehan, and R. J. Stenberg, 191
Studies on the rate of the emulsion polymerization of butadiene-styrene (75:25) as a function of the amount and kind of emulsifier used. II. Polymerizations with fatty acid soaps, rosin soaps, and various synthetic emulsifiers, C. W. Carr, I. M. Kolthoff, E. J. Meehan, and D. E. Williams, 201

Solutions and Solution Properties

Aging of solutions of cellulose nitrate, H. Campbell and P. Johnson, 443
Behavior of polyvalent polymeric ions in solution, A. Katchalsky, O. Künzle, and W. Kuhn, 283
Critical concentration effects in dilute high polymer solutions. *Letter to the Editors*, R. F. Boyer and R. S. Spencer, 375
Concentration dependence of diffusion of chloroform in polystyrene. *Letter to the Editors*, R. F. Boyer, 139
Die Löslichkeit hochpolymerer Fadenmoleküle, A. Münster, 333
Effects of hampered draining of solvent on the translatory and rotatory motion of statistically coiled long-chain molecules in solution. Part I. Translation resistance; rate of diffusion and sedimentation, H. Kuhn and W. Kuhn, 519
Experiments on the sonic, thermal, and enzymic depolymerization of desoxyribosenucleic acid, G. Goldstein and K. G. Stern, 687
Letter to the Editors, J. Crank and G. S. Park, 140
Nitrocellulose-solvent interaction, W. R. Moore, 91
Note on the distribution of polymer molecules in dilute solutions. *Letter to the Editors*, P. M. Doty and R. F. Steiner, 383
Optische Anisotropie und Form von Fadenmolekülen. I. Depolarisationsgrad der Lichtzerstreuung von Lösungen mit Fadenmolekülen, H. A. Stuart und A. Peterlin, 543
Optische Anisotropie und Form von Fadenmolekülen. II. Künstliche Doppelbrechung, H. A. Stuart and A. Peterlin, 551
Titration potentiométrique de la viscose. III, P. Herrent and G. Jnoff, 727
Transport of uncharged polymer molecules by an inhomogeneous electric field. *Letter to the Editors*, M. Wales, 739
Ultracentrifuge studies on the crystalline compound of trypsin and soybean trypsin inhibitor. *Letter to the Editors*, E. Sheppard, A. D. McLaren, and P. Johnson, 375

Viscosities of binary polymeric mixtures, W. R. Krigbaum and F. T. Wall, 505
Viscosities of very dilute polymer solutions. *Letter to the Editors*, S. Rothman, R. Simha, and S. G. Weissberg, 141
Viscosity and sedimentation of linear macromolecules exhibiting partial solvent immobilization, A. Peterlin, 473

Thermodynamics and Statistics

Behavior of polyvalent polymeric ions in solution, A. Katchalsky, O. Künzle, and W. Kuhn, 283
Critical concentration effects in dilute high polymer solutions. *Letter to the Editors*, R. F. Boyer and R. S. Spencer, 375
Die Löslichkeit hochpolymerer Fadenmoleküle, A. Münster, 333
Effects of hampered draining of solvent on the translatory and rotatory motion of statistically coiled long-chain molecules in solution. Part I. Translation resistance; rate of diffusion and sedimentation, H. Kuhn and W. Kuhn, 519
Note on the distribution of polymer molecules in dilute solution. *Letter to the Editors*, P. M. Doty and R. F. Steiner, 383
Optische Anisotropie und Form von Fadenmolekülen. I. Depolarisationsgrad der Lichtzerstreuung von Lösungen mit Fadenmolekülen, H. A. Stuart und A. Peterlin, 543
Optische Anisotropie und Form von Fadenmolekülen. II. Künstliche Doppelbrechung, H. A. Stuart und A. Peterlin, 551
Viscosity and sedimentation of linear macromolecules exhibiting partial solvent immobilization, A. Peterlin, 473

Viscosity

Degradation of ethyl cellulose in solution. *Letter to the Editors*, R. N. Haward, 635
Denaturation of plant proteins. III. Optical rotation, viscosity, and reducing capacity of denatured proteins, B. Jirgensons, 179
Flow of linear amorphous polymers, R. S. Spencer, 591
Intrinsic viscosity of macromolecules. *Letter to the Editors*, J. Riseman and F. R. Eirich, 633
Mechanical behavior of viscoelastic substances, R. Sips, 69
Method of measuring molecular weight distribution, F. W. Billmeyer, Jr., and W. H. Stockmayer, 121
Molecular configuration and thermodynamic parameters from intrinsic viscosities. *Letter to the Editors*, P. J. Flory and T. G Fox, Jr., 745
New method for deriving the intrinsic viscosity of polyelectrolytes. *Letter to the Editors*, D. T. F. Pals and J. J. Hermans, 733
Nitrocellulose–solvent interaction, W. R. Moore, 91
Viscosities of very dilute high polymer solutions. *Letter to the Editors*, S. Rothman, R. Simha, and S. G. Weissberg, 141
Viscosity of binary polymeric mixtures, W. R. Krigbaum and F. T. Wall, 505
Viscosity and sedimentation of linear macromolecules exhibiting partial solvent immobilization, A. Peterlin, 473

Vulcanization and Cross-Linking

"Bound" water in phenol-formaldehyde condensates. *Letter to the Editors*, P. O. Powers, 262
Tetramethylthiuram disulfide vulcanization of extracted rubber. I. Introduction and compounding, D. Craig, A. E. Juve, and W. L. Davidson, 709

X-Ray Investigations

Crystallinity of precipitated cellulose, P. H. Hermans and A. Weidinger, 565
New observations on the small-angle x-ray diffraction of synthetic fibers. *Letter to the Editors*, L. M. Arnett, E. P. H. Meibohm, and A. F. Smith, 737
Quantitative investigation of x-ray diffraction by "amorphous" polymers and some other noncrystalline substances, P. H. Hermans and A. Weidinger, 269
Unidirectional nature of the large periodic structure of collagen fibrils, O. E. A. Bolduan and R. S. Bear, 159